



NISSAN NP300 NAVARA DOUBLE CAB 4X2 SPECIFICATIONS

GRADE	DOUBLE CAB (CALIBRE)						DOUBLE CAB		
	Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre EL 7AT	Calibre V 7AT	Calibre VL 6MT	S 6MT	E 6MT	
DIMENSION & WEIGHT									
Overall length	mm	5,255	5,255	5,255	5,255	5,255	5,225	5,230	5,230
Overall width	mm	1,850	1,850	1,850	1,850	1,850	1,850	1,790	1,790
Overall height	mm	1,785	1,785	1,785	1,785	1,785	1,820	1,750	1,775
Wheelbase	mm	3,150	3,150	3,150	3,150	3,150	3,150	3,150	3,150
Tread front/rear	mm	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,560 / 1,560	1,550 / 1,550
Ground Clearance	mm	218	218	218	218	218	218	180	204
Rear bed dimension (L x W x H)	mm	1,503 x 1,560 x 474	1,503 x 1,560 x 474	1,503 x 1,560 x 474	1,503 x 1,560 x 474	1,503 x 1,560 x 474	1,503 x 1,560 x 474	1,503 x 1,560 x 474	1,503 x 1,560 x 474
Curb weight	Kg	1,820	1,825	1,825	1,835	1,840	1,875	1,780	1,785
Wheel		Alloy 16x7J	Alloy 16x7J	Alloy 16x7J	Alloy 16x7J	Alloy 16x7J	Alloy 18x7J	Steel 15x5.5J	Alloy 16x6J
Tires		255/70R16	255/70R16	255/70R16	255/70R16	255/70R16	255/60R18	195R15C	205R16C
Spare Wheel & Tire		Steel 255/70R16	Steel 255/70R16	Steel 255/70R16	Steel 255/70R16	Steel 255/70R16	Alloy 255/60R18	Steel 195R15C	Steel 205R16C
ENGINE									
Model		YD25DDTi	YD25DDTi	YD25DDTi	YD25DDTi	YD25DDTi	YD25DDTi	YD25DDTi	YD25DDTi
Type		In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler
Fuel supply system		Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits
Bore x Stroke	mm	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0	89.0 x 100.0
Displacement	cc	2,488	2,488	2,488	2,488	2,488	2,488	2,488	2,488
Max. power	Kw (hp) /rpm	120 (163) / 3,600	120 (163) / 3,600	120 (163) / 3,600	120 (163) / 3,600	120 (163) / 3,600	140 (190) / 3,600	120 (163) / 3,600	120 (163) / 3,600
Max. torque	N-m (Kg-m) /rpm	403 (41.1) / 2,000	403 (41.1) / 2,000	403 (41.1) / 2,000	403 (41.1) / 2,000	403 (41.1) / 2,000	450 (45.9) / 2,000	403 (41.1) / 2,000	403 (41.1) / 2,000
Compress ratio		15 : 1	15 : 1	15 : 1	15 : 1	15 : 1	15 : 1	15 : 1	15 : 1
Fuel tank capacity	Liter	80	80	80	80	80	80	80	80
Emission class		Euro 4	Euro 4	Euro 4	Euro 4	Euro 4	Euro 4	Euro 4	Euro 4
TRANSMISSION									
Type		6MT	6MT	6MT	7AT with Manual mode	7AT with Manual mode	6MT	6MT	6MT
Gear ratio	1st	4.685	4.685	4.685	4.887	4.887	4.685	4.685	4.685



NISSAN NP300 NAVARA DOUBLE CAB 4X2

SPECIFICATIONS

GRADE		DOUBLE CAB (CALIBRE)						DOUBLE CAB	
		Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre EL 7AT	Calibre V 7AT	Calibre VL 6MT	S 6MT	E 6MT
	2nd	2.479	2.479	2.479	3.170	3.170	2.479	2.479	2.479
	3rd	1.624	1.624	1.624	2.027	2.027	1.624	1.624	1.624
	4th	1.208	1.208	1.208	1.412	1.412	1.208	1.208	1.208
	5th	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
	6th	0.809	0.809	0.809	0.864	0.864	0.809	0.809	0.809
	7th	-	-	-	0.775	0.775	-	-	-
	Reverse	4.709	4.709	4.709	4.041	4.041	4.709	4.709	4.709
	Final gear ratio	3.692	3.692	3.692	3.357	3.357	3.692	3.357	3.539
SUSPENSION									
Front		Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar
Rear		Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber	Multi-leaf with shock absorber
BRAKES									
Front		Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Rear		Drum brake with load-sensing proportioning valves (LSV)	Drum brake	Drum brake	Drum brake	Drum brake	Drum brake	Drum brake with load-sensing proportioning valves (LSV)	Drum brake with load-sensing proportioning valves (LSV)
STEERING									
Type		Rack and pinion	Rack and pinion	Rack and pinion	Rack and pinion	Rack and pinion	Rack and pinion	Rack and pinion	Rack and pinion
Turning Radius	m	6.2	6.2	6.2	6.2	6.2	6.2	5.9	5.9
EXTERIOR									
Front grille		Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Silver	Chrome
Front bumper		Body color	Body color	Body color	Body color	Body color	Body color	Body color	Body color
Rear bumper		Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	-	-
Chrome door waist molding		O	O	O	O	O	O	O	O
Rear spoiler		O	O	O	O	O	O	O	O
Roof Rail		-	-	-	-	-	O	-	-



NISSAN NP300 NAVARA DOUBLE CAB 4X2

SPECIFICATIONS

GRADE	DOUBLE CAB (CALIBRE)						DOUBLE CAB	
	Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre EL 7AT	Calibre V 7AT	Calibre VL 6MT	S 6MT	E 6MT
Front headlamp								
- Type	LED Projector	LED Projector	LED Projector	LED Projector	LED Projector	LED Projector	Halogen	Halogen
- LED Positioning	O	O	O	O	O	O	-	-
- Auto On-Off	-	-	-	-	O	O	-	-
Daytime Running Light	O	O	O	O	O	O	-	-
Front Fog Lamp	-	O	O	O	O	O	-	-
Outside Door Mirror								
- Color	Chrome	Chrome	Chrome	Chrome	Chrome	Chrome	Black	Chrome
- Electric Adjustable	O	With Electric Foldable	With Electric Foldable	With Electric Foldable	With Electric Foldable	With Electric Foldable	O	O
- LED Turning lamp	-	O	O	O	O	O	-	-
Outside Door Handle	Color	Chrome	Chrome	Chrome	Chrome	Chrome	Black	Chrome
Side Step	O	O	O	O	O	O	-	-
Front wiper	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent	2 speed with variable intermittent
Mud Guard	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear
INTERIOR								
Interior Color	Beige	Black	Black	Black	Black	Black	Beige	Beige
Front control dashboard (Audio and Air-con)	Black	Black with Piano Black decoration	Black with Piano Black decoration	Black with Piano Black decoration	Black with Piano Black decoration	Black with Piano Black decoration	Black	Black
Center console with 12V output	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder	With lid and 2 cup holder
Ventilation for rear seat	O	O	O	O	O	O	O	O
Door Pocket	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder	Front and Rear with bottle holder
Audio, with FM/AM	CD / MP3 with 5" Display Audio	CD / MP3 with 5" Display Audio	DVD / MP3 with 7" Touch Screen	DVD / MP3 with 7" Touch Screen	DVD / MP3 with 7" Touch Screen	DVD / MP3 with 7" Touch Screen	2DIN CD / MP3	2DIN CD / MP3
Navigator	-	-	-	-	O	O	-	-
No. of Speakers	6	6	6	6	6	6	6	6
USB / AUX input	O	O	O	O	O	O	O	O
Air Conditioning System	O	Push Type	Push Type	Push Type	Automatic Dual Zone	Automatic Dual Zone	O	O



NISSAN NP300 NAVARA DOUBLE CAB 4X2

SPECIFICATIONS

GRADE	DOUBLE CAB (CALIBRE)						DOUBLE CAB	
	Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre EL 7AT	Calibre V 7AT	Calibre VL 6MT	S 6MT	E 6MT
Power steering								
- Tilt Adjustment	O	O	O	O	O	O	-	O
- Type	Urethane with silver finisher	Urethane with silver finisher	Urethane with silver finisher	Urethane with silver finisher	Urethane with silver finisher	Leather with silver finisher	Urethane	Urethane with silver finisher
- Audio switch	-	O	O	O	O	O	-	-
Meter								
- Tachometer	O	O	O	O	O	O	O	O
- Odometer	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital
- Fine vision	-	O	O	O	O	O	-	-
Multi Information Display	Digital type	3D Display Type	3D Display Type	3D Display Type	3D Display Type	3D Display Type	Digital type	Digital type
Digital Clock	O	O	O	O	O	O	O	O
Bluetooth Connection	-	O	O	O	O	O	-	-
Power window	One touch auto up/down, Anti-pinch (DR side only)	One touch auto up/down, Anti-pinch (DR side only)	One touch auto up/down, Anti-pinch (DR side only)	One touch auto up/down, Anti-pinch (DR side only)	One touch auto up/down, Anti-pinch (DR side only)	One touch auto up/down, Anti-pinch (DR side only)	One touch auto up/down, Anti-pinch (DR side only)	One touch auto up/down, Anti-pinch (DR side only)
Central Door Lock	O	O	O	O	O	O	O	O
Seat								
- Type	Captain Seat	Captain Seat	Captain Seat	Captain Seat	Captain Seat	Captain Seat	Captain Seat	Captain Seat
- Seat / Door Trim material	Cloth	Cloth	Cloth	Cloth	Cloth	Leather	Cloth	Cloth
- Color	Beige	Black	Black	Black	Black	Black / Beige	Beige	Beige
Front seat								
- DR side	6-ways adjustment	6-ways adjustment	6-ways adjustment	6-ways adjustment	6-ways adjustment	8-ways Power adjustment	6-ways adjustment	6-ways adjustment
- AS side	4-ways adjustment	4-ways adjustment	4-ways adjustment	4-ways adjustment	4-ways adjustment	4-ways adjustment	4-ways adjustment	4-ways adjustment
- Headrest	O	O	O	O	O	O	O	O
Rear seat								
- Type	with flip-up function	with flip-up function	with flip-up function	with flip-up function	with flip-up function	with flip-up function	with flip-up function	with flip-up function
- Headset	O	O	O	O	O	O	O	O
Front Sun Visor	O	with illuminated vanity mirror (Both side) and ticket holder (Driver side)	with illuminated vanity mirror (Both side) and ticket holder (Driver side)	with illuminated vanity mirror (Both side) and ticket holder (Driver side)	with illuminated vanity mirror (Both side) and ticket holder (Driver side)	with illuminated vanity mirror (Both side) and ticket holder (Driver side)	O	O



NISSAN NP300 NAVARA DOUBLE CAB 4X2

SPECIFICATIONS

GRADE	DOUBLE CAB (CALIBRE)						DOUBLE CAB	
	Calibre S 6MT	Calibre E 6MT	Calibre EL 6MT	Calibre EL 7AT	Calibre V 7AT	Calibre VL 6MT	S 6MT	E 6MT
Lamp								
- Room lamp	O	O	O	O	O	O	O	O
- Map lamp	O	O	O	O	O	O	O	O
Sunglass holder	-	O	O	O	O	O	-	-
Room mirror with dimming	O	O	O	O	Auto Dimming with compass	Auto Dimming with compass	O	O
Cruise control	-	O	O	O	O	O	-	-
Push Start	-	O	O	O	O	O	-	-
SAFETY								
ABS with EBD and BA	-	O	O	O	O	O	-	-
Dual Front airbag	-	O	O	O	O	O	-	-
Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass	Laminated Glass
Rear defogger	O	O	O	O	O	O	O	O
High mount stop lamp (LED Type)	O	O	O	O	O	O	O	O
Seatbelt								
- Front seat	ELR 3 points X 2	ELR 3 points X 2 with pretensioner and load limiter	ELR 3 points X 2 with pretensioner and load limiter	ELR 3 points X 2 with pretensioner and load limiter	ELR 3 points X 2 with pretensioner and load limiter	ELR 3 points X 2 with pretensioner and load limiter	ELR 3 points X 2	ELR 3 points X2
- Rear seat	ELR 3 points X 2 / 2 points x1	ELR 3 points X 2 / 2 points x1	ELR 3 points X 2 / 2 points x1	ELR 3 points X 2 / 2 points x1	ELR 3 points X 2 / 2 points x1	ELR 3 points X 2 / 2 points x1	ELR 3 points X 2 / 2 points x1	ELR 3 points X 2 / 2 points x1
- Adjustable	Only front seat	Only front seat	Only front seat	Only front seat	Only front seat	Only front seat	Only front seat	Only front seat
Remote Key	O	with Immobilizer and anti-theft alarm	with Immobilizer and anti-theft alarm	with Immobilizer and anti-theft alarm	with Immobilizer and anti-theft alarm	with Immobilizer and anti-theft alarm	O	O
Intelligent Key	-	O	O	O	O	O	-	-
Rear view camera	O	O	O	O	O	O	-	-
Zone body structure	O	O	O	O	O	O	O	O
Side impact door beam	O	O	O	O	O	O	O	O
Crashable steering column	O	O	O	O	O	O	O	O
Automatic fuel valve cut (When rollover)	O	O	O	O	O	O	O	O



NISSAN NP300 NAVARA DOUBLE CAB 4X4

SPECIFICATIONS

GRADE		DOUBLE CAB 4WD	
		4WD S 6MT	4WD VL 7AT
DIMENSION & WEIGHT			
Overall length	mm	5,255	5,255
Overall width	mm	1,850	1,850
Overall height	mm	1,790	1,820
Wheelbase	mm	3,150	3,150
Tread front/rear	mm	1,570 / 1,570	1,570 / 1,570
Ground Clearance	mm	220	220
Rear bed dimension (L x W x H)	mm	1,503 x 1,560 x 474	1,503 x 1,560 x 474
Curb weight	Kg	1,905	1,960
Wheel		Alloy 16 x 7J	Alloy 18 x 7J
Tires		255/70R16	255/60R18
Spare Wheel & Tire		Steel 255/70R16	Alloy 255/60R18
ENGINE			
Model		YD25DDTi	YD25DDTi
Type		In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler	In-line 4-cylinder DOHC 16 valves VGS Turbo Intercooler
Fuel supply system		Commonrail controlled by ECCS 32 bits	Commonrail controlled by ECCS 32 bits
Bore x Stroke	mm	89.0 x 100.0	89.0 x 100.0
Displacement	cc	2,488	2,488
Max. power	Kw (hp) /rpm	120 (163) / 3,600	140 (190) / 3,600
Max. torque	N-m (Kg-m) /rpm	403 (41.1) / 2,000	450 (45.9) / 2,000
Compress ratio		15 : 1	15 : 1
Fuel tank capacity	Liter	80	80
Emission class		Euro 4	Euro 4
TRANSMISSION			
Type		6MT	7AT with Manual mode
Gear ratio	1st	4.685	4.887
	2nd	2.479	3.170
	3rd	1.624	2.027



NISSAN NP300 NAVARA DOUBLE CAB 4X4

SPECIFICATIONS

GRADE		DOUBLE CAB 4WD	
		4WD S 6MT	4WD VL 7AT
	4th	1.208	1.412
	5th	1.000	1.000
	6th	0.809	0.864
	7th	-	0.775
	Reverse	4.709	4.041
	Final gear ratio	3.692	3.357
SUSPENSION			
Front		Independent double-wishbone with front stabilizer bar	Independent double-wishbone with front stabilizer bar
Rear		Multi-leaf with shock absorber	Multi-leaf with shock absorber
BRAKES			
Front		Ventilated disc	Ventilated disc
Rear		Drum brake	Drum brake
STEERING			
Type		Rack and Pinion	Rack and Pinion
Turning Radius	m	6.2	6.2
EXTERIOR			
Front grille		Chrome	Chrome
Front bumper		Body Color	Body Color
Rear bumper		Chrome	Chrome
Chrome door waist molding		O	O
Rear spoiler		O	O
Roof Rail		-	O
Front headlamp			
- Type		LED Projector	LED Projector
- LED Positioning		O	O
- Auto On-Off		-	O



NISSAN NP300 NAVARA DOUBLE CAB 4X4

SPECIFICATIONS

GRADE	DOUBLE CAB 4WD	
	4WD S 6MT	4WD VL 7AT
Daytime Running Light	O	O
Front Fog Lamp	-	O
Outside Door Mirror		
- Color	Chrome	Chrome
- Electric Adjustable	O	With Electric Foldable
- LED Turning lamp	-	O
Outside Door Handle Color	Chrome	Chrome
Side Step	O	O
Front wiper	2 speed with variable intermittent	2 speed with variable intermittent
Mud Guard	Front and Rear	Front and Rear
INTERIOR		
Interior Color	Beige	Black
Front control dashboard (Audio and Air-con)	Black	Black with Piano Black decoration
Center console with 12 V output	With lid and 2 cup holder	With lid and 2 cup holder
Ventilation for rear seat	O	O
Door Pocket	Front and Rear with bottle holder	Front and Rear with bottle holder
Audio, with FM / AM	CD / MP3 with 5" Display Audio	DVD / MP3 with 7" Touch Screen
Navigator	-	O
No. of Speakers	6	6
USB / AUX input	O	O
Air Conditioning System	O	Automatic Dual Zone
Power steering		
- Tilt Adjustment	O	O
- Type	Urethane with silver finisher	Leather with silver finisher
- Audio switch	-	O
Meter		
- Tachometer	O	O
- Odometer	Digital	Digital



NISSAN NP300 NAVARA DOUBLE CAB 4X4

SPECIFICATIONS

GRADE	DOUBLE CAB 4WD	
	4WD S 6MT	4WD VL 7AT
- Fine vision	-	O
Multi Information Display	Digital type	3D Display type
Digital Clock	O	O
Bluetooth	-	O
Power window	One touch auto up / down , Anti-pinch (DR side only)	One touch auto up / down , Anti-pinch (DR side only)
Central Door Lock	O	O
Seat		
- Type	Captain Seat	Captain Seat
- Seat / Door Trim material	Cloth	Leather
- Color	Beige	Black / Beige
Front seat		
- DR side	6-ways adjustment	8-ways Power adjustment
- AS side	4-ways adjustment	4-ways adjustment
-Headrest	O	O
Rear seat		
- Type	with flip-up function	with flip-up function
- Headrest	O	O
Front Sun Visor	O	with illuminated vanity mirror (Both side) and ticket holder (Driver side)
Lamp		
- Room lamp	O	O
- Map lamp	O	O
Sunglass holder	-	O
Room mirror with dimming	O	Auto Dimming with compass
Cruise control	-	O
Push Start	-	O
SAFETY		
ABS with EBD and BA	O	O
Dual Front airbag	-	O



NISSAN NP300 NAVARA DOUBLE CAB 4X4

SPECIFICATIONS

GRADE	DOUBLE CAB 4WD	
	4WD S 6MT	4WD VL 7AT
Active Brake Limited Slip (ABLS)	O	O
VDC	O	O
HSA and HDC	O	O
TCS	O	O
Laminated Glass	Laminated Glass	Laminated Glass
Rear defogger	O	O
High mount stop lamp (LED Type)	O	O
Seatbelt		
- Front seat	ELR 3 points X 2	ELR 3 points X 2 with pretensioner and load limiter
- Rear seat	ELR 3 points X 2 / 2 points x 1	ELR 3 points X 2 / 2 points x 1
- Adjustable	Only front seat	Only front seat
Remote Key	O	with Immobilizer and anti-theft alarm
Intelligent Key	-	O
Rear view camera	O	O
Zone body structure	O	O
Side impact door beam	O	O
Crashable steering column	O	O
Automatic fuel valve cut (When rollover)	O	O